The History Of Spaceflight Magazine

VOL. 3, NO. 1 SPRING 1994

\$ 5.95

THE X-15 SPACEPLANE

by Jonathan McDowell

The North American X-15 rocketship was the first true winged spaceship. In this, the first article of our X-15 issue, contributing writer Jonathan McDowell gives an overview of the pioneering missions of the X-15 into the mesosphere and in outer space and concludes by presenting the most complete log of X-15 flights yet published.


The Vehicle

The X-15 [1,2,3,4] was a winged rocketplane with a single pilot, carried aloft under the wing of a modified B-52 bomber. Three X-15s were built by North American Aviation as part of a joint NASA/USAF/US Navy program to explore hypersonicflight based at the Flight Test Center at Edwards Air Force Base, California.

In a test program lasting 9 years the X-15 broke all records, reaching a speed of Mach 6.7 and an altitude of over 100 km. The X-15's fuselage was 15 meters long and the wingspan was 6.8 meters. The plane weighed approximately 5000 kg empty and 14,000 kg fully fuelled. It was powered by a single XLR-99 rocket engine, although early flights used a pair of XLR-11 rocket engines since the XLR-99 was not ready. The plane was carried under the starboard wing of one of two NASA NB-52 carrier aircraft.

The NB-52's were modified prototype B-52 bombers (a B-52A, no. 52-003 and a B-52B, no. 52-008) which were obtained to replace the B-50 used to carry earlier rocket planes. 52-003 is now in the Puma Air Museum at Tucson, Arizona; 52-008 continues to be used for test programs at Edwards.

The NB-52, with a crew of two, would take off from Edwards AFB, usually using the concrete runway RW4/22 and climb to an altitude of 13.7 km over the chosen launch site, which would be near a dry lake bed. Then if no problems were encountered



X-15 SN 66672 on Edwards Lakebed. Photo #E63-9704 Courtesy NASA.

the X-15 would be released and the X-15 pilot would ignite the rocket engine. If the engine failed to light, an emergency glide landing would be made on the dry lake. Otherwise, the rocket would burn for a minute and a half, accelerating the X-15 to typical speeds of around Mach 5.

The X-15 would fly a ballistic trajectory into the upper atmosphere and carried out a controlled reentry, glide approach and landing on Rogers dry lake bed at Edwards for a total free flight time of 10 minutes. Just before landing, the ventral fin below the X-15 would be jettisoned and the landing gear would be deployed. The main gear at the rear of the fuselage consisted of skids rather than wheels; there was a single nosewheel, but no steering capability.

The big lake bed at Edwards has several long runways marked out; the prime X-15

runway [1] was RW18/36, with RW05/23 (later the landing site for the first orbital flight of the Space Shuttle) as a backup. RW17/35 was also used. Other landing sites, used in emergencies, were Rosamond Dry Lake, Mud Lake, Cuddeback Lake, Delamar Dry Lake, Smith Ranch Lake and Silver Lake. These were all used as launch sites, as well as Palmdale, Hidden Hills, and Railroad Valley (see Table 1).

The X-15-1 (S/N 56-6670) was carried aloft by the B-52 142 times, making 81 free flights. It is now in the National Air and Space Museum in Washington, D.C.

The X-15-2 (S/N 56-6671) was carried aloft 52 times and made 31 free flights. On its last flight in November 1962, the plane was severely damaged in an emergency landing. It was rebuilt in modified form as the X-15A-2, with a longer fuselage and external jettisonable fuel tanks. The X-15A-2 was used for high speed tests at relatively low altitude, making Mach 6.7 on its last flight. It flew mated to the B-52 45 times, including 22 free flights. It is now on display at Wright-Patterson AFB.

The X-15-3 (S/N 56-6672) was carried aloft 97 times and made 65 free flights. On the last flight, during reentry from space, it entered a spin at Mach 5 at an altitude of 70 km. At an altitude of 18 km the vehicle broke up and the pieces impacted the Mojave Desert. The pilot, Mike Adams, was killed in the accident. A complete summary of all emergency landings made during the program is given in Table 2.

Table 1: X-15 Launch and Landing Sites

| Abbrev | Location | No. | No. | Used |
|--------|---|--|--|--|
| | | Launches | Landings | |
| EAFB | 117.8W 34.9N | 0 | 188 | 1959-68 |
| ROS | 118.1W 34.8N | 18 | 1 | 1959-68 |
| CUD | 117.5W 35.3N | 1 | 3 | 1959-68 |
| PLM | 118.1W 34.6N | 8 | 0 | 1960-61 |
| SIL | 116.1W 35.3N | 14 | 1 | 1960-67 |
| HH | 116.0W 36.0N | 50 | 0 | 1961-68 |
| MUD | 117.1W 37.9N | 34 | 4 | 1961-67 |
| DDL | 114.9W 37.4N | 62 | 1 | 1962-68 |
| SRL | 117.5W 39.3N | 10 | 1 | 1963-68 |
| RRV | 116.0W 38.0N | 2 | 0 | 1968 |
| | EAFB ROS CUD PLM SIL HH MUD DDL SRL | EAFB 117.8W 34.9N ROS 118.1W 34.8N CUD 117.5W 35.3N PLM 118.1W 34.6N SIL 116.1W 35.3N HH 116.0W 36.0N MUD 117.1W 37.9N DDL 114.9W 37.4N SRL 117.5W 39.3N | EAFB 117.8W 34.9N 0 ROS 118.1W 34.8N 18 CUD 117.5W 35.3N 1 PLM 118.1W 34.6N 8 SIL 116.1W 35.3N 14 HH 116.0W 36.0N 50 MUD 117.1W 37.9N 34 DDL 114.9W 37.4N 62 SRL 117.5W 39.3N 10 | EAFB 117.8W 34.9N 0 188 ROS 118.1W 34.8N 18 1 CUD 117.5W 35.3N 1 3 PLM 118.1W 34.6N 8 0 SIL 116.1W 35.3N 14 1 HH 116.0W 36.0N 50 0 MUD 117.1W 37.9N 34 4 DDL 114.9W 37.4N 62 1 SRL 117.5W 39.3N 10 1 |

The Edge of Space

Milt Thompson's book [1] talks about flying the X-15 to the edge of space. This raises an interesting question – where does space start? In the late 1950s the USAF decided to award 'astronaut wings' to pilots flying above 50 statute miles. This boundary was chosen as a nice round figure, but it is also the right choice from a physical point of view.

Space is not, of course, a vacuum. The atmosphere of the Earth gets thinner and thinner with distance from Earth's surface until a magnetic shock front is reached, marking the boundary with the solar wind, which can be considered as the Sun's outer atmosphere. This boundary is about the height of geostationary orbit at the closest point,

and clearly a lot of the region within it, including almost all spaceflights to date, ought to be counted as space. We can get an intuitive idea of where the boundary should be by comparing the maximum altitude reached by vehicles which use the air for propulsion and the minimum altitude at which satellites can travel without reentering. The altitude record for non-rocketpowered airplanes is 37 km, set at the Soviet equivalent of Edwards, LII Gromov, by Aleksandr Fedotov in 1977. The record for piloted balloons is the same, although unpiloted scientific balloons have flown at 50 km. In contrast, the lowest perigee at which satellites have flown for more than one orbit is 90 km. Hence, the boundary of space should be chosen at somewhere between 50 and 90 km. However, it's dangerous to use a technological criterion to define the boundary - one would rather use a physical criterion which will remain valid even given advances in technology. There are a couple

| | | Ta | ble 2: Emerg | ency Landings | |
|-------------|---------|----------|--------------|---------------|-------------------------------|
| Date | A/C | Flight | Pilot | Site | Cause |
| | | | | | |
| 1959 Nov 5 | X-15-2 | 2-3-9 | Crossfield | Rosamund | XLR-11 exploded |
| 1960 Sep 23 | X-15-1 | 1-13-25 | Petersen | Rogers | XLR-11 out early |
| 1962 Jan 10 | X-15-1 | 1-25-44 | Petersen | Mud | XLR-99 did not ignite |
| 1962 Apr 20 | X-15-3 | 3-4-8 | Armstrong | Rogers | Reentry bounce |
| 1962 Nov 9 | X-15-2 | 2-31-52 | McKay | Mud | XLR-99 failed, X-15-2 wrecked |
| 1964 May 21 | X-15-3 | 3-29-48 | Thompson | Cuddeback | XLR-99 failed |
| 1964 Aug 14 | X-15A-2 | 2-33-56 | Rushworth | Rogers | Nose gear deploy at Mach 4 |
| 1964 Sep 29 | X-15A-2 | 2-34-57 | Rushworth | Rogers | Nose gear deploy at Mach 4 |
| 1965 Feb 17 | X-15A-2 | 2-36-63 | Rushworth | Rogers | Main gear deploy at Mach 4 |
| 1966 May 6 | X-15-1 | 1-63-104 | McKay | Delamar | XLR-99 failed |
| 1966 Jul 1 | X-15A-2 | 2-45-81 | Rushworth | Mud | External tank problem |
| 1966 Sep 8 | X-15-1 | 1-68-113 | McKay | Smith Ranch | Engine problem |
| 1966 Oct 6 | X-15-1 | 1-69-116 | Adams | Cuddeback | Fuel tank rupture |
| | | | | | |

Silver Lake

[Cuddeback]

Mud

Engine problem

mesopause. The true mesopause varies with

APU failure, manual reentry

Hypersonic spin, destroyed

of obvious candidates: natural discontinuities in atmospheric structure called the stratopause (which divides the stratosphere and the mesosphere) and the mesopause (which divides the mesosphere and the outer atmosphere). The mesosphere is a region where the temperature decreases with altitude, the opposite of the behavior in the stratosphere and the upper atmosphere. The stratopause is at around 50 km; but the stratosphere and the mesosphere are often considered together as the 'middle atmosphere' and it seems more natural to choose the outermost boundary, the mesopause, as the physical boundary which marks the edge of space. It turns out that the traditional value for the height of the mesopause, 80 km, is also within 500 meters of the 50 mile 'astronaut wings' boundary historically used by the USAF. I therefore suggest that we adopt as the formal boundary of space an altitude of exactly 80 km, representing the typical location of the

3-58-87

1-73-126

3-65-97

X-15-3

X-15-1

X-15-3

1967 Apr 26

1967 Jun 29

1967 Nov 15

Dana

Knight

Adams

time and geographic location by up to 10 km, and more recent values quoted as 'typical' tend to be a bit higher, around 85 km. But the 80 km value is not too much of a fudge for the sake of historical continuity (Note: if we adopted the 85 km value, only Adams would lose astronaut status). With this definition, the X-15 is the only class of piloted vehicle to have flown in space but not in orbit; it was the first reusable space-ship.

The Pilots


The X-15 was a joint program, and all three sponsor organizations contributed pilots. The first X-15 pilot, however, worked for the mean factors. North American Avis.

The X-15 was a joint program, and all three sponsor organizations contributed pilots. The first X-15 pilot, however, worked for the manufacturer North American Aviation (NAA) - test pilot Scott Crossfield, veteran of early NACA rocketplane programs. He carried out initial flight tests of each X-15 before it was turned over to NASA and the USAF. His backup, Al White, never actually flew the X-15. Crossfield remained with NAA as a manager until July 1967; White was an NAA test pilot until 1966, when he survived the mid-air collision that killed Joe Walker. Table 3 lists all the X-15 pilots [1, 3], giving the time period for which they were test pilots at Edwards, the dates they joined and left the X-15 program, and the number of X-15 free flights they made, as well as the number of those which qualify as spaceflights. The final column gives the date of death where applicable; six of the fourteen are now dead, four as a result of test-flying accidents. Experimental test flying is a risky business.

Many of the X-15 pilots went on to be successful in other programs. The USN pilot was Forrest Petersen, who left the X-15 program when the Navy stopped participating and was transferred to a fighter squadron. He later commanded the USS Enterprise and retired in 1980 with the rank of Vice Admiral.

Table 3: The X-15 Pilots

| Name | Edwards | To X-15 | Left X-15 | X-15 Free | X-15 Space | Died |
|--|---------|-------------|-------------|-----------|------------|------|
| | Pilot | Program | Program | Flights | Flights | |
| | | NAA T | est Pilots | | | |
| Scott Crossfield | 1950-60 | 1955 Sep? | 1960 Dec 7 | 14 | 0 | |
| Alvin White | 1954-66 | 1955 Sep? | 1960 Dec 7 | 0 | 0 | |
| | | USN | l Pilot | | | |
| Forrest Petersen | 1958-62 | 1958 Aug | 1962 Feb | 5 | 0 | 1990 |
| *************************************** | | USAI | F Pilots | | | |
| Iven Kincheloe | 1955-58 | 1958 Apr 4 | 1958 Jul 26 | 0 | 0 | 1958 |
| Robert White | 1955-63 | 1958 Apr 4 | 1962 Dec | 16 | 1 | |
| Robert Rushworth | 1957-67 | 1958 Apr 4 | 1966 Jul | 34 | 1 | 1993 |
| Joe Engle | 1962-66 | 1963 Jun | 1966 Apr | 16 | 3 | |
| 'Pete' Knight | 1958-69 | 1965 Jul | 1968 Dec | 16 | 1 | |
| Mike Adams | 1963-67 | 1966 Jul 20 | 1967 Nov 15 | 7 | 1 | 1967 |
| and the second s | | NAS | A Pilots | | | |
| Joseph Walker | 1951-66 | 1958 | 1963 Aug | 25 | 3 | 1966 |
| John McKay | 1951-? | 1958 | 1966 Sep | 29 | 1 | 1975 |
| Neil Armstrong | 1955-62 | 1958 | 1962 Aug | 7 | 0 | |
| Milton Thompson | 1956-67 | 1963 Jul | 1965 Aug | 14 | 0 | 1993 |
| William Dana | 1958- | 1965 Jul | 1968 Dec | 16 | 2 | |



View of the interior X-15 cockpit/instrument panel showing center stick, left-hand side arm controller for manual reaction controls on lefthand console with throttle handle to right and tank pressurization and vent above this. T-handle above tank lever is landing gear release. Photo #E63-9834 Courtesy NASA.

Most of the X-15 flights were flown by USAF and NASA pilots. The USAF's prime X-15 test pilot was Iven Kincheloe, but his back up Bob White had to take over when Kincheloe was killed on July 26, 1958 in a plane crash at Edwards, before the first X-15 flight. White later became commander of the Flight Test Center at Edwards, and eventually was promoted to Major General, serving in Germany where he remained after his retirement in 1981. Rushworth also became commander of the Flight Test Center and a Major General, retiring in 1981. Joe Engle and Neil Armstrong joined the NASA astronaut corps, Engle flying the Shuttle in the 1980s and Armstrong becoming the first human to walk on the Moon in 1969. Thompson and Dana remained at Edwards, Thompson as NASA-Dryden's Chief Engineer (until his death in 1993), and Dana as chief pilot. William 'Pete' Knight eventually left Edwards, but didn't go far - he is mayor of the neighboring aerospacedominated town of Palmdale.

The Program

Thompson [1] divides the flight program into several overlapping phases. The first phase was NAA's contractor demonstration phase, following which the aircraft were delivered to the government. The second phase was the envelope expansion phase using the XLR-11 engine. Thompson's Phase III consisted of checkout flights for Petersen, McKay, Rushworth and Armstrong. Crossfield's flights for NAA to demonstrate the XLR-99 engine were Phase IV and the corresponding government envelope expansion phase was Phase V. A new flight control system, the Minneapolis-Honeywell MH-96, was installed in late 1961 and Phase VI checked out this equipment. The aircraft was now ready to carry out its main research tasks.

Thompson distinguishes between test flights of the aircraft per se (Phase VII; expanding the flight envelope, measuring its handling qualities) and flights where the aircraft was simply used to carry experiments to high altitudes or speeds (Phase VIII). Some experiments involved astronomical studies or earth observation; others involved minor modifications to the aircraft such as altering the shape of the tail fin or the nose cone and measuring the aerodynamic effects. Finally, there was the X-15A-2 program to carry a dummy scramjet to speeds around Mach 7 (Phase IX).

High Altitude Flights by the X-15

The first flight into the mesosphere was 2-14-28 on March 30, 1961. Joe Walker was launched in X-15-2 from Hidden Hills on an envelope expansion flight. The flight was intended to reach only 45 km but Walker overshot and reached 51 km. He was followed by White on flight 2-20-36 on October 11, 1961, reaching 66 km and Mach 5 after launch from Mud Lake. On this flight the windshield shattered during reentry. Neil Armstrong was the next pilot to be scheduled for a high altitude flight, as part of the MH-96 test program. The first attempt to launch was on March 29, 1962, but this and attempts on the next two days were aborted due to problems with the X-15. Finally Armstrong was launched on flight 3-3-7 on April 5, reaching an altitude of 54.

The final MH-96 test flight, 3-4-8, was launched on April 20, with Armstrong again on the controls. He reached a 63 km apogee, but during reentry 'bounced' off the atmosphere and flew past Edwards 30 km up at Mach 3. Armstrong managed to turn the X-15 around and just made it back, touching down on the southern part of the dry lake, for a record flight time of 12 min 28 seconds.

The final envelope expansion flight was due to occur only 7 days later; 1-A-47 was an abort, but was followed on April 30 by the successful 1-27-48 flight. Joe Walker flew X-15-1 from Mud Lake to the design altitude of 250,000 feet (75 km), the fringe of space.

Now Delamar Dry Lake, Nevada was introduced as a launch site for high altitude flights, and a series of altitude buildup flights were begun. Robert White flew X-15-3 on June 12 and 21 to 56 and 75 km, respectively. The X-15 was ready for space: the next flight was scheduled to reach 86 km. The first attempt to launch the mission, on July 10, 1962, was aborted, as were two more attempts on July 11 and 16. Finally, on July 17, Pilots Allavie and Archer took off in 52-003, carrying White in X-15-3 to the launch point over Delamar/ At 1731 UT the X-15 was dropped and White ignited the engine, shutting it down after 82 seconds. The X-15 continued to rise, peaking at the remarkable altitude of 95.9 km. White had earned astronaut wings, flying higher than anyone except Gagarin, Shepard, Grissom, Titov, Glenn and Carpenter. The reentry was uneventful and White touched down at Edwards at 1741, after a flight lasting 10 min 20 sec.

The next few high altitude flights were made by Joe Walker in the X-15-3. In August he made a research flight (3-9-18) to 59 km; on another flight on December 20 (3-13-23), planned to go to 53 km, he only made it to 49 km. His next flight, 3-14-24, was the X-15's second spaceflight, although it was only intended to reach 76 km. Launched at 1859 on January 17, 1963 from Delamar, Walker flew the X-15-3 to 83 km, carrying an infrared sensor experiment. The flight lasted 10 minutes 59 seconds. In May 1963, flight 3-16-26 carried the infrared experiment and an ultraviolet photometer to 63

km.

Next it was Bob Rushworth's turn to build up high altitude experience. He flew 3-19-30 to 68 km in June, with the UV photometer experiment, and at 1756 on June 27 was launched on the project's third spaceflight, reaching 86.9 km on flight 3-20-31. Payload was the UV and infrared experiments and a horizon scanner. Then Walker started building up for a new altitude record. On July 9 he flew to 69 km, on a testbed flight carrying an optical degradation experiment and a traversing probe. On July 19 he was launched from Smith Ranch Lake carrying a battery of experiments (the UV photometer, the IR experiment, the horizon scanner, an optical photometer and a balloon for atmospheric density research). Flight 3-21-32 reached a record altitude of 106 km, meeting the FAI's international standard for a spaceflight. Flights on August 6, 13 and 15 were aborted because of weather and technical problems. Finally, on August 22 at 1805, Walker was again launched aboard X-15-3 from Smith Ranch Lake, reaching an altitude of 108 km. The experiment complement included a spectrometer and a photometer. The 11 minute 8 second long flight (3-22-36) would mark the all-time height record for the X-15. Even higher flights might have been possible but were vetoed because of concerns that a structural failure might occur during reentry.

The next year it was Joe Engle's turn to practice flight in the mesosphere, while carrying out another optical degradation experiment (1-46-73 and 1-48-75) and a horizon scanner experiment (3-30-50). An altitude buildup flight by Jack McKay on June 30, 1964 planned to go to 55 km but was abandoned when the inertial guidance failed at launch and the mission flew a conservative profile reaching only 30 km. The same thing happened to McKay the following February on flight 1-52-85, although this time he made it to 47 km following a computer malfunction. He finally reached 64 km on July 8, 1965 on flight 2-40-72 in the X-15A-2, carrying out a star tracker experiment and studying the new X-15A's landing dynamics. On May 25, 1965 Milt Thompson made it into the mesosphere on X-15-1, reaching an altitude of almost 55 km. He turned out to be the only X-15 pilot to reach 50 km without ever reaching the 80 km astronaut qualification; we can consider him as having the unique distinction of being the world's only 'mesonaut.' Engle now headed for space, with two more mesospheric flights (3-42-65 and 3-43-66) followed by a flight to 85 km on June 29, 1965 (3-44-67). These flights carried an experiment to measure boundary layer noise, a radiometer, and an experiment called the Langley scanner. Engle's next spaceflight was on August 10, 1965, again in the X-15-3, and his third was on October 14, 1965.

Both flights were to 81 km. Engle then left Edwards for Houston; he would return there from even higher altitudes in November 1981, guiding Space Shuttle Columbia to a landing on its second mission. Meanwhile, McKay flew to 90 km in September 1965. He would later retire on a medical disability as a result of long-term complications from his 1962 X-15-2 crash.

The next X-15 spaceflight was not made until November 1966, when Bill Dana flew to 93 km to collect micrometeorites. In October 1967 Pete Knight flew the X-15A-2 with ablative heat shield and external tank to a record Mach 6.7. This low altitude flight damaged the X-15A-2 and put an end to the high speed attempts. All the remaining X-15 flights were above 50 km with the exception of one test flight following the fatal Adams flight in which X-15-3 was lost. The last spaceflight of the program was made by Dana in August 1968. On December 12, 1968, the B-52 took off for the last time carrying an X-15 on what was intended to be the 200th and last free flight. Problems with the inertial system caused an abort, and the B-52 returned to Edwards. The X-15 program was over.

The X-15 in Context

Earlier rocket-powered planes had pushed the flight envelope beyond the sound barrier and even up to Mach 3, but the X-15 went far beyond its predecessors, exceeding their speed and altitude records by a factor of two. The X-15 was the last of the high-performance aircraft pioneered at Edwards, at least until an aerospace plane along the lines of the cancelled X-30 project is developed.

As the X-15 project closed down, the lifting body programs were in full swing. The HL-10, M2-F2/F3, and X-24A/B were launched from the B-52 over Edwards. They explored approach and landing techniques and did not reach the high altitudes and speeds of the X-15 but provided a technological bridge between the X-15 and the Space Shuttle.


I would like to acknowledge the generous help of Jack Kolf and the late Milt Thompson in the preparation of this article.

References

- 1.) Thompson, M. O., 1992, At The Edge Of Space: The X-15 Flight Program, (Smithsonian Institution Press: Washington, 1992).
- 2.) Miller, J., 1988, The X-Planes: X-1 to X-31, (Orion Books, 1988).
- 3.) Hawthome, D. B., 1992, Men and Women of Space, (Univelt: San Diego, 1992).
- 4.) Peebles, C., 1977, "X-15: First Wings Into Space," Spaceflight 19, 228.
- 5.) Hodge, K. E., 1991, Proceedings of the X-15 First Flight 30th Anniversary Celebration, NASA CP-3105.
- 6.) Kolf, J. L., 1993. List of X-15 aborts and captive flights (personal communication).

X-15 Flight Log







Beginning on this page, "QUEST" is pleased to present "The X-15 Flight Log" by Jonathan McDowell, the most complete flight log of the X-15 ever published. The first column in this group of tables gives the official flight designation. The designation indicates which X-15 flew the mission, whether the mission was a free flight and how many times that aircraft had been flown mated to the B-52. For instance, 1-11-21 is the 21st time the X-15-1 had been carried into the air, and its 11th free flight. Sometimes flights were cancelled after takeoff but before X-15 drop because of a problem in the countdown. These were known as aborted flights and have designations like 2-A-17. Other flights were intentional captive flights to test out some aspect of the mated NB-52/X-15 system without a free flight. These captive flights have a 'C' designation, such as 2-C-1. There were 12 captive flights. The date of the flight is given in Column 2, with the Universal Time of launch for free flights. Columns 3 and 4 give the B-52 number and site above which the X-15 was dropped. The landing site is always Rogers Dry Lake, except for the emergency landings listed in Table 2 of the preceding article. The following Columns give free flight duration (from being dropped by the B-52 to touchdown) in minutes and seconds, apogee in km, maximum speed in km/h, maximum Mach number, and engine burn duration in seconds. The three crew members are given, with the X-15 pilot first and then the two B-52 crew members. Finally the mission is summarized, indicating which program phase was involved. Note that in most cases the identity of the pilot for aborted flights is a guess based on the following free flight, except where explicit identification has been found in the quoted references.

| Flight | I | Date | | B-52 | Launcha | Landing Site ^a | Duration | Apogee | VMax | MMas | Burn | Crew | Mission ⁶ | Note |
|--------------------|----------------------|------|---------|------|---------|---------------------------|----------|--------|------|------|-------|---------------------------|--------------------------|------|
| - C- 1 | 1959 Mar | 10 | | 003 | | | 0 | | | | 0 | Crossfield | NAA LR-11 captive demo | |
| - A- 2 | 1959 Apr | 1 | | 003 | | | o · | | | | 0 | Crossfield | NAA LR-11 demo | GA |
| - A- 3 | 1959 Apr | 10 | | 003 | | | Ö | | | | 0 | Crossfield | NAA LR-11 demo | G/ |
| - A- 4 | 1959 May | 21 | | 003 | | | 0 | | | | 0 | Crossfield | NAA LR-11 demo | G/ |
| - 1- 5 | 1959 Jun | 8 | 1638:40 | 003 | ROS | EAFB RW35 | 04:56.6 | 11.4 | 840 | 0.79 | 0 | Crossfield/Bock/Allavie | NAA LR-11 glide demo | G |
| - C- 1 | 1959 Jul | 24 | | 003 | | | 0 | | | | 0 | Crossfield | NAA LR-11 demo | |
| 3- A- 2 | 1959 Sep | 4 | | 003 | | | ō | | | | 0 | Crossfield | NAA LR-11 demo | |
| 2- 1- 3 | 1959 Jun | 17 | 1608:48 | 003 | ROS | EAFB | 09:11.1 | 15.9 | 2242 | 2.11 | 224.3 | Crossfield/Bock/Allavie | NAA LR-11 demo | |
| 2- A- 4 | 1959 Oct | 10 | 1000.10 | 003 | | | 0 | •••• | | | 0 | Crossfield | NAA LR-11 demo | |
| - A- 5 | 1959 Oct | 14 | | 003 | | | o o | | | | 0 | Crossfield | NAA LR-11 demo | |
| 2- 6 | 1959 Oct | 17 | 1913:07 | 003 | ROS | EAFB | 09:37.7 | 18.8 | 2283 | 2.15 | 254.5 | Crossfield/Allavie/Bock | NAA LR-11 demo | |
| 2- A- 7 | 1959 Oct | 22 | 1313.01 | 003 | | | 0 | | | • | 0 | Crossfield | NAA LR-11 demo | |
| 2- A- 8 | 1959 Oct | 31 | | 003 | | | Ö | | | | 0 | Crossfield | NAA LR-11 demo | |
| 2- 3- 9 | 1959 Nov | 5 | 1739:28 | 003 | ROS | ROS | 05:28.0 | 13.9 | 1062 | 1.00 | 11.7 | Crossfield/Fulton/Allavie | NAA LR-11 demo | |
| I- A- 6 | 1959 Dec | 16 | 1100.20 | 000 | | | 0 | | | | 0 | Crossfield | NAA LR-11 demo | |
| 1- 2- 7 | 1960 Jan | 24 | 0017.05 | 008 | ROS | EAFB | 09:53.8 | 20.4 | 2688 | 2.53 | 267.0 | Crossfield/Fulton/Kuyk | NAA LR-11 demo | |
| 2- A-10 | 1960 Feb | 4 | 0011.00 | 000 | 1100 | - | 0 | | | | 0 | Crossfield | NAA LR-11 demo | |
| 2- A-10 2- 4-11 | 1960 Feb | 11 | 1815:04 | 008 | ROS | EAFB | 10:15.5 | 26.9 | 2359 | 2.22 | 258.6 | Crossfield/Allavie/Fulton | NAA LR-11 demo | |
| 2- 4-11 | 1960 Feb | 17 | 1741:32 | 008 | ROS | EAFB | 10:35.9 | 16.0 | 1667 | 1.57 | 332.0 | Crossfield/Fulton/Allavie | NAA LR-11 demo | |
| 2- 6-12 | 1960 Mar | 17 | 1631:25 | 008 | ROS | EAFB | 08:39.5 | 16.0 | 2284 | 2.15 | 233.5 | Crossfield/Allavie/Kuyk | NAA LR-11 demo | |
| 2- 0-13 2- A-14 | 1960 Mar | 18 | 1001.20 | 008 | 1100 | | 0 | | •••• | • | 0 | Crossfield | NAA LR-11 demo | |
| 1- 3- 8 | 1960 Mar | 25 | 2343:23 | 008 | ROS | EAFB | 09:08.0 | 14.8 | 2124 | 2.00 | 272.0 | Walker/Allavie/Fulton | LR-11 envelope expansion | |
| 2- 7-15 | 1960 Mar | 29 | 1759.28 | 008 | ROS | EAFB | 09:10.5 | 15.2 | 2080 | 1.96 | 244.2 | Crossfield/Fulton/Allavie | NAA LR-11 demo | |
| 2- 8-16 | 1960 Mar | 31 | 1642.05 | 008 | ROS | EAFB | 08:56.5 | 15.6 | 2156 | 2.03 | 254.5 | Crossfield/Allavie/Fulton | NAA LR-11 demo | |
| 1- 4-9 | 1960 Apr | 13 | 1715:11 | 003 | ROS | EAFB | 08:52.7 | 14.6 | 2018 | 1.90 | 253.7 | White/Allavie/Kuyk | LR-11 envelope expansion | |
| 1- 5-10 | 1960 Apr | 19 | 1651:44 | 003 | ROS | EAFB | 09:58.6 | 18.1 | 2179 | 2.56 | 260.6 | Walker/Fulton/Allavie | LR-11 envelope expansion | |
| 2- A-17 | 1960 May | 5 | 1001.11 | 008 | | | 0 | **** | ••• | | 0 | Crossfield | NAA LR-11 demo | |
| 1- 6-11 | 1960 May | 6 | 1753:19 | 003 | ROS | EAFB | 09:23.2 | 18.6 | 2337 | 2.20 | 246.5 | White/Fulton/Allavie | LR-11 envelope expansion | |
| 1- 7-12 | 1960 May | 12 | 1647.37 | 003 | SIL | EAFB | 10:10.3 | 23.7 | 3396 | 3.19 | 256.3 | Walker/Bock/Allavie | LR-11 envelope expansion | |
| 1- 8-13 | 1960 May | 19 | 1646.47 | 003 | SIL | EAFB | 11:24.6 | 33.2 | 2559 | 2.31 | 274.6 | White/Allavie/Bock | LR-11 envelope expansion | |
| 2- 9-18 | 1960 May | 26 | 1708:36 | 008 | ROS | EAFB | 09:14.4 | 15.6 | 2337 | 2.20 | 243.4 | Crossfield/Bock/Allavie | NAA LR-11 demo | |
| 2- 5-16 1- A-14 | 1960 May | 27 | 1700.50 | 003 | 1100 | DAT D | 0 | 10.0 | •00. | •.•• | 0 | Walker | LR-11 envelope expansion | |
| 1- A-14 | 1960 Jun | 3 | | 003 | | | Ö | | | | Õ | Walker | ER-11 envelope expansion | |
| 1- A-16 | 1960 Jun | 8 | | 003 | | | o o | | | | 0 | Walker | LR-11 envelope expansion | |
| 1- A-16 1- 9-17 | 1960 Jun 1960 Aug | 4 | 1659:13 | 003 | | EAFB | 10:22.6 | 23.8 | 3532 | 3.31 | 264.2 | Walker/Allavie/Fulton | LR-11 envelope expansion | |
| 1- 9-17 1- A-18 | | 11 | 1009:13 | 003 | 310 | DAT-D | 0 | 20.0 | 0002 | 0.01 | 0 | White | LR-11 envelope expansion | |
| 1- A-18 1-10-19 | 1960 Aug | 11 | 1648:43 | 003 | SIL | EAFB | 11:39.1 | 41.6 | 2853 | 2.52 | 256.2 | White/Fulton/Allavie | LR-11 envelope expansion | |
| | 1960 Aug | | 1045:43 | 003 | | DALD | 0 | 41.0 | 4000 | 2.02 | 0 | Walker | LR-11 envelope expansion | |
| 1- A-20 1-11-21 | 1960 Aug 1960 Aug | | 1634:22 | 003 | | EAFB | 09:42.4 | 23.1 | 3195 | 3.13 | 251.6 | Walker/Allavie/Cole | LR-11 envelope expansion | |

About the author: Jonathan McDowell has been studying the technical history of the space program since he joined the British Interplanetary Society as a teenager in London. Now resident in Cambridge, Massachussets, he is currently researching aspects of the former Soviet space program, U.S. sounding rocket programs and other extraterrestrial arcana. Dr. McDowell publishes "Jonathan's Space Report," a weekly electronic newsletter about current space launches available from him at jcm@urania.harvard.edu, and is the regular space mission columnist for "Sky & Telescope" magazine. In his spare time, Jonathan hunts for black holes and quasars using ROSAT and the Hubble Space Telescope and has published over twenty research papers in the field of astrophysics.

| Flight | | Date | | B-52 | Launch ^a | Landing Site ^a | Duration | Apogee | VMaz | MMas | Burn | Crew | Mission ^b | Notes |
|--------------------|----------------------|----------|--------------------|------------|---------------------|---------------------------|--------------------|--------------|--------------|--------------|----------------|--|--|----------|
| 1- A-22 | 1960 Sep | 2 | | | | | 0 | | | | 0 | White | LR-11 envelope expansion | |
| 1-12-23 | 1960 Sep | 10 | 1945:10 | 008 | SIL | EAFB | 10:00.0 | 24.3 | 3512 | 3.23 | 264.3 | White/Kirk/Allavie | LR-11 envelope expansion | |
| 1- A-24 | 1960 Sep | 20 | | | | • | 0 | | | | 0 | Petersen | LR-11 pilot checkout | |
| 1-13-25 | 1960 Sep | 23 | 1752:06 | 800 | PLM | EAFB RW18 | 07:09.6 | 16.1 | 1785 | 1.68 | 146.4 | Petersen/Allavie/Fulton | LR-11 pilot checkout | |
| 1- A-26 2- A-19 | 1960 Oct 1960 Oct | 11 | | 008 | | • | 0 | | | | 0 | Petersen Crossfield | LR-11 pilot checkout NAA LR-99 demo | |
| 1-14-27 | 1960 Oct | 20 | 1730:27 | 008 | PLM | EAFB | 09:26.1 | 16.4 | 2060 | 1.94 | 285.4 | Petersen/Fulton/Kuyk | LR-11 pilot checkout | |
| 1-15-28 | 1960 Oct | 28 | 1743:56 | 008 | PLM | EAFB | 09:05.3 | 15.4 | 2146 | 2.02 | 267.5 | McKay/Fulton/Cole | LR-11 pilot checkout | |
| 2- A-20 | 1960 Nov | 4 | | | | | 0 | | | | 0 | Crossfield | NAA LR-99 demo | |
| 1-16-29 | 1960 Nov | 4 | 2043:33 | 800 | PLM | EAFB | 08:46.3 | 14.9 | 2071 | 1.95 | 271.0 | Rushworth/Fulton/Cole | LR-11 pilot checkout | |
| 2-10-21 | 1960 Nov | 15 | 1759:00 | 003 | ROS | EAFB | 08:28.4 | 24.7 | 3154 | 2.97 | 137.3 | Crossfield/Allavie/Kuyk | NAA LR-99 demo | |
| 1-17-30 | 1960 Nov 1960 Nov | 17 | 2043:07 2125:55 | 003 | PLM | EAFB | 08:58.2 | 16.7 | 2018 | 1.90 | 260.4 | Rushworth/Fulton/Allavie | LR-11 pilot checkout | |
| 2-11-22 1-18-31 | 1960 Nov | 30 | 1842:43 | 003 | ROS PLM | EAFB EAFB | 07:31.7 09:53.8 | 18.8 14.9 | 2666 1859 | 2.51 1.75 | 125.1 309.1 | Crossfield/Allavie/Fulton Armstrong/Cole/Fulton | NAA LR-99 demo LR-11 pilot checkout | |
| 2-12-23 | 1960 Dec | 6 | 2329:30 | 003 | ROS | EAFB | 08:07.2 | 16.2 | 3027 | 2.85 | 128.9 | Crossfield/Allavie/Cole | NAA LR-99 demo | |
| 1-19-32 | 1960 Dec | 9 | 1952:40 | 008 | PLM | EAFB | 10:49.0 | 15.3 | 1912 | 1.80 | 270.1 | Armstrong/Allavie/Cole | LR-11 pilot checkout | |
| 1- A-33 | 1960 Dec | 15 | | 008 | | | 0 | | | | 0 | McKay | LR-11 pilot checkout | |
| 1- A-34 | 1961 Jan | 11 | | 008 | | | 0 | | | | 0 | McKay | LR-11 pilot checkout | |
| 1-20-35 | 1961 Feb | 1 | 1847:32 | 008 | PLM | EAFB | 10:47.7 | 15.1 | 1950 | 1.88 | 263.5 | McKay/Fulton/Lewis | LR-11 pilot checkout | |
| 1-21-36 | 1961 Feb | 7 | 2056:10 | 008 | SIL | EAFB | 10:27.8 | 23.8 | 3661 | 3.50 | 276.1 | White/Fulton/Mosley | LR-11 envelope expansion | |
| 2- A-24 | 1961 Feb | 21 | | | | • | 0 | | | | 0 | White? | LR-99 envelope expansion | |
| 2- A-25 2-13-26 | 1961 Feb 1961 Mar | 24 | 1828:33 | 008 | SIL | EAFB | 0 08:34.1 | 23.6 | 4675 | 4.43 | 0 127.0 | White? | LR-99 envelope expansion | |
| 2-13-26 2- A-27 | 1961 Mar | | 1020:33 | 008 | SIL | EAFB | 08:34.1 | 23.6 | 46/5 | 4.43 | 0 | White/Kuyk/Cole Walker | LR-99 envelope expansion | |
| 2-14-28 | 1961 Mar | | 1805:00 | 008 | нн | EAFB | 10:16.5 | 51.69 | 4443 | 3.95 | 81.9 | Walker/Kuyk/Fulton | LR-99 envelope expansion LR-99 envelope expansion | MU |
| 2-15-29 | 1961 Apr | 21 | 1805:17 | 008 | нн | EAFB | 10:03.4 | 32.0 | 4948 | 4.62 | 71.6 | White/Allavie/Mosley | LR-99 envelope expansion | MO |
| 2- A-30 | 1961 May | | | 003 | | | 0 | | | | 0 | Walker | LR-99 envelope expansion | |
| 2-16-31 | 1961 May | 25 | 2016:35 | 003 | MUD | EAFB | 12:08.1 | 32.7 | 5322 | 4.95 | 74.3 | Walker/Allavie/Fulton | LR-99 envelope expansion | |
| 2- A-32 | 1961 Jun | 20 | | 008 | | • | 0 | | | | 0 | White | LR-99 envelope expansion | |
| 2-17-33 | 1961 Jun | 23 | 2200:05 | 003 | MUD | EAFB | 10:05.7 | 32.8 | 5798 | 5.27 | 78.7 | White/Allavie/Fulton | LR-99 envelope expansion | |
| 1-22-37 | 1961 Aug | | 1827:05 | 003 | SIL | EAFB | 09:24.4 | 23.8 | 4400 | 4.11 | 117.7 | Petersen/Allavie/Archer | LR-99 test | |
| 2-18-34 2-19-35 | 1961 Sep | 12 28 | 2240:17 1750:25 | 008 | MUD HH | EAFB | 08:43.9 | 34.8 | 5826 | 5.21 | 115.0 | Walker/Archer/Allavie | LR-99 envelope expansion | |
| 1- A-38 | 1961 Sep 1961 Sep | 29 | 1750:25 | 003 | nn | EAFB | 08:41.6 | 31.0 | 5793 | 5.30 | 87.1 0 | Petersen/Allavie/Archer | Research flight | |
| 1-23-39 | 1961 Oct | 3 | 1840:50 | 003 | SIL | EAFB | 08:31.3 | 23.7 | 4554 | 4.30 | 122.0 | Rushworth Rushworth/Allavie/Archer | Research flight Research flight, VO | |
| 2-20-36 | 1961 Oct | 11 | 2020:00 | 003 | MUD | EAFB | 10:14.7 | 66.14 | 5864 | 5.21 | 82.5 | White/Allavie/Fulton | LR-99 envelope expansion | М |
| 1-24-40 | 1961 Oct | 17 | 1857:33 | 003 | MUD | EAFB | 10:11.7 | 33.1 | 6276 | 5.74 | 84.6 | Walker/Allavie/Archer | LR-99 envelope expansion | ivi |
| 1- A-41 | 1961 Oct | 27 | | | | | 0 | | | | 0 | Petersen | Research flight | |
| 1- A-42 | 1961 Nov | 2 | | | | • | 0 | | | | 0 | Petersen | Research flight | |
| 1- A-43 | 1961 Nov | 3 | | | | | 0 | | | | 0 | Petersen | Research flight | |
| 2-21-37 | 1961 Nov | 9 | 1757:17 | 008 | MUD | EAFB | 09:31.2 | 31.0 | 6589 | 6.04 | 86.9 | White/Allavie/Archer | LR-99 envelope expansion | |
| 3- A- 1 | 1961 Dec | | | 003 | | | 0 | 1 | | | 0 | Armstrong | MH-96 test flight | |
| 3-1-2 | 1961 Dec | 20 | 2245:50 | 003 | SIL | EAFB | 10:25.4 | 24.7 | 4026 | 3.76 | 106.3 | Armstrong/Allavie/Bement | MH-96 test flight | |
| 1-25-44 3- 2- 3 | 1962 Jan | 10 | 2028:16 2000:34 | 003 | MUD | MUD | 03:45.7 | 13.6 | 1038 | 0.97 | 3.3 | Petersen/Allavie/Bement | Research flight | |
| 3- A- 4 | 1962 Jan 1962 Mar | 17 29 | 2000:34 | 003 | MUD | EAFB | 10:27.7 | 40.7 | 6059 | 5.51 | 97.4 | Armstrong/Allavie/Bement | MH-96 test flight | |
| 3- A- 5 | 1962 Mar | | | 003 | | : | 0 | | (| | 0 | Armstrong Armstrong | MH-96 test flight MH-96 test flight | MA MA |
| 3- A- 6 | 1962 Mar | 31 | | 003 | | | 0 | | | | 0 | Armstrong | MH-96 test flight | MA |
| 3-3-7 | 1962 Apr | 5 | 1904:25 | 003 | нн | EAFB | 11:17.0 | 54.86 | 4587 | 4.12 | 79.2 | Armstrong/Allavie/Fulton | MH-96 test flight | M |
| 1- A-45 | 1962 Apr | 18 | | | | | 0 | | | | 0 | Walker | Research flight | |
| 1-26-46 | 1962 Apr | 19 | 1902:20 | 003 | MUD | EAFB | 08:58.9 | 46.9 | 6221 | 5.69 | 84.3 | Walker/Allavie/Archer | Research flight | |
| 3- 4-8 | 1962 Apr | 20 | 1926:58 | 008 | MUD | EAFB RW35 | 12:28.7 | 63.25 | 6098 | 5.31 | 82.4 | Armstrong/Allavie/Bement | MH-96 test flight | M |
| 2- A-38 | 1962 Apr | 25 | | | | | 0 | | | | 0 | Rushworth | Research flight | |
| 2- A-39 1- A-47 | 1962 Apr 1962 Apr | 26 27 | | | | • | 0 | | | | 0 | Rushworth | Research flight | |
| 1- A-47 1-27-48 | 1962 Apr 1962 Apr | | 1823:20 | 008 | MUD | EAFB | 0 09:46.2 | 75.19 | 5615 | 4.94 | 0 81.6 | Walker | LR-99 envelope expansion | MA M |
| 2-22-40 | 1962 May | 8 | 1801:28 | 008 | HH | EAFB | 08:50.4 | 21.5 | 5671 | 5.34 | 97.9 | Walker/Allavie/Bement Rushworth/Allavie/Bement | LR-99 envelope expansion Research flight | M |
| 1-28-49 | 1962 May | | 1804:46 | 003 | нн | EAFB | 09:16.2 | 30.6 | 5552 | 5.03 | 75.3 | Rushworth/Allavie/Campbell | Research flight | |
| 2- A-41 | 1962 May | 25 | | | | | 0 | 00.0 | | 0.00 | 0 | White | Research flight | |
| 2- A-42 | 1962 May | | | | | - | 0 | | | | 0 | White | Research flight | |
| 2-23-43 | 1962 Jun | 1 | 1851:15 | 008 | DDL | EAFB | 10:01.9 | 40.4 | 5914 | 5.42 | 86.0 | White/Fulton/Bement | Research flight | |
| 1-29-50 | 1962 Jun | 7 | 1829:20 | 003 | нн | EAFB | 08:24.2 | 31.6 | 5910 | 5.39 | 81.5 | Walker/Allavie/Bement | Research flight | |
| 3- 5- 9 | 1962 Jun | 12 | 2004:00 | 008 | DDL | EAFB | 09:33.9 | 56.26 | 5660 | 5.02 | 81.9 | White/Allavie/Fulton | Pilot checkout | M |
| 3- 6-10 | 1962 Jun | | 1747:05 | 008 | DDL | EAFB | 09:33.6 | 75.19 | 5859 | 5.08 | 82.3 | White/Allavie/Lewis | MH-96 demo | M |
| 1-30-51 | 1962 Jun | 27 | 2108:10 | 003 | MUD | EAFB | 09:32.4 | 37.7 | 6606 | 5.92 | 88.6 | Walker/Allavie/Townsend | Speed record | |
| 2-24-44 3- A-11 | 1962 Jun 1962 Jul | 29 10 | 1841:47 | 008 | нн | EAFB | 08:53.6 | 25.3 | 5278 | 4.95 | 112.4 | McKay/Allavie/Archer | Research flight | |
| 3- A-11 | 1962 Jul | 11 | | 003 | | | 0 | | | | 0 | White White | MH-96 demo MH-96 demo | SA |
| 3- A-13 | 1962 Jul | 16 | | 003 | | | 0 | | | | 0 | White | MH-96 demo MH-96 demo | SA |
| 1-31-52 | 1962 Jul | 16 | 2209:25 | 008 | MUD | EAFB | 09:37.8 | 32.7 | 5913 | 5.37 | 83.9 | Walker/Allavie/Archer | Research flight | JA |
| 3- 7-14 | 1962 Jul | 17 | 1731:10 | 003 | DDL | EAFB | 10:20.7 | 95.94 | 6167 | 5.45 | 82.0 | White/Allavie/Archer | MH-96 demo | S |
| 2-25-45 | 1962 Jul | 19 | 1753:45 | 008 | нн | EAFB | 08:23.8 | 26.0 | 5590 | 5.18 | 106.2 | McKay/Fulton/Bement | Research flight | |
| 1-32-53 | 1962 Jul | 26 | 1922:30 | 003 | MUD | EAFB | 10:21.6 | 30.1 | 6420 | 5.74 | 82.8 | Armstrong/Fulton/Bement | Research flight | |
| 3- A-15 | 1962 Aug | | | | | | 0 | | | | 0 | Walker | MH-96 tests | |
| 3- 8-16 | 1962 Aug | | 1756:15 | 003 | MUD | EAFB | 09:14.0 | 44.0 | 5517 | 5.07 | 80.0 | Walker/Fulton/Bement | MH-96 tests | |
| 2-26-46 3- A-17 | 1962 Aug | | 1808:35 | 008 | нн | EAFB | 07:42.8 | 27.7 | 4736 | 4.40 | 95.8 | Rushworth/Fulton/Sturmthal | Research flight | |
| 3- 9-18 | 1962 Aug 1962 Aug | | 1841:35 | 003 003 | DDL | EAFB | 00.04.0 | 59.01 | 6020 | | 0 | Walker | Research flight | MA |
| 2-27-47 | 1962 Aug | | 1808:40 | 003 | HH | EAFB | 09:04.9 08:38.2 | 27.1 | 6030 5689 | 5.25 5.24 | 84.2 86.5 | Walker/Fulton/Crews Rushworth/Fulton/Andonian | Research flight Research flight | М |
| 2-28-48 | 1962 Aug | | 1836:03 | 008 | нн | EAFB | 08:47.1 | 29.6 | 5547 | 5.12 | 92.0 | Rushworth/Fulton/Bernent | Research flight | |
| | 1962 Sep | 27 | | 008 | | | 0 | 20.0 | 5511 | 0.14 | 0 | McKay | Research flight | |

| Flight | | Date | | B-52 | Launch ^e | Landing Site ⁴ | Duration | Apogee | V _{Mas} | M _{Mas} | Burn | Crew | Mission ^b | Notes |
|--------------------|----------------------|----------|--------------------|------------|---------------------|---------------------------|--------------------|----------------|------------------|------------------|---------------|---|--|----------|
| 2-29-50 | 1962 Sep | 28 | 1804:55 | 008 | нн | EAFB | 09:27.5 | 20.8 | 4450 | 4.22 | 128.2 | McKay/Bement/Sturmthal | Research flight, VO | |
| 3-10-19 | 1962 Sep 1962 Oct | 4 | 1810:11 | 008 | DDL | EAFB | 09:50.5 | 34.2 | 5621 | 5.17 | 103.2 | Rushworth/Fulton/Lewis | Research flight, VO | |
| 2-30-51 | 1962 Oct | 9 | 1858:32 | 008 | DDL | EAFB | 09:40.3 | 39.7 | 5980 | 5.46 | 79.5 | McKay/Fulton/Lewis | Research flight, VO | |
| 3-11-20 | 1962 Oct | 23 | 1930:40 | 008 | MUD | EAFB | 09:46.3 | 41.0 | 6058 | 5.47 | 78.0 | Rushworth/Bement/Cross | Research flight, VO | |
| 2-31-52 | 1962 Nov | 9 | 1823:07 | 008 | MUD | MUD | 06:31.1 | 16.4 | 1640 | 1.49 | 70.5 | McKay/Bement/Lewis | Research flight, VO | |
| 3- A-21 | 1962 Dec | 13 | | 008 | | • | 0 | | | | 0 | White | Science flight | |
| 3-12-22 | 1962 Dec | 14 | 1844:07 | 008 | MUD | EAFB | 09:37.1 | 43.1 | 6022 | 5.65 | 77.7 | White/Bement/Cross | Science flight, VO | MF |
| 3-13-23 | 1962 Dec | 20 | 1925:04 | 008 | MUD | EAFB | 08:54.3 | 48.9 | 6104 | 5.73 | 81.0 | Walker/Bement/Fulton | Research flight, VO Science flight, VO | SU |
| 3-14-24 | 1963 Jan | 17 | 1859:37 | 008 | DDL | EAFB | 09:44.0 | 82.81 | 5918 | 5.47 | 81.2 120.4 | Walker/Bement/Archer Rushworth/Bement/Archer | Science flight | 00 |
| 1-33-54 | 1963 Apr | 11 | 1803:20 | 008 | нн | EAFB EAFB | 08:56.7 07:13.2 | 22.6 28.2 | 4609 6067 | 4.25 5.51 | 79.0 | Walker/Fulton/Archer | Science flight | |
| 3-15-25 1-34-55 | 1963 Apr | 18 | 2016:17 2204:19 | 008 | DDL DDL | EAFB | 10:32.3 | 32.1 | 5882 | 5.32 | 86.1 | McKay/Bement/Fulton | Science flight | |
| 3-16-26 | 1963 Apr 1963 May | 23 | 1759:54 | 008 | MUD | EAFB | 09:17.2 | 63.83 | 5613 | 4.73 | 79.2 | Walker/Bement/Archer | Science flight | M |
| 3- A-27 | 1963 May | | 1100.01 | 008 | 02 | | 0 | | | | 0 | Rushworth | Science flight | |
| 3-17-28 | 1963 May | 14 | 2011:56 | 008 | нн | EAFB | 07:33.1 | 29.1 | 5794 | 5.20 | 86.9 | Rushworth/Bement/Archer | Science flight | |
| 1-35-56 | 1963 May | 15 | 1850:46 | 003 | DDL | EAFB | 10:20.5 | 37.8 | 6206 | 5.57 | 84.1 | McKay/Bement/Archer | Science flight | |
| 3-18-29 | 1963 May | 29 | 1843:22 | 008 | DDL | EAFB | 11:42.5 | 28.0 | 6209 | 5.52 | 84.3 | Walker/Bement/Fulton | Research flight, VO | |
| 3-19-30 | 1963 Jun | 18 | 1834:21 | 008 | DDL | EAFB | 09:40.3 | 68.18 | 5695 | 4.97 | 79.3 | Rushworth/Bement/Archer | Science flight | М |
| 1-36-57 | 1963 Jun | 25 | 1753:50 | 003 | DDL | EAFB | 09:59.3 | 34.1 | 6294 | 5.51 | 92.8 | Walker/Bement/Archer | Science flight | S |
| 3-20-31 | 1963 Jun | 27 | 1756:03 | 800 | DDL | EAFB | 10:28.0 | 86.87 | 5512 | 4.89 | 80.1 | Rushworth/Bement/Archer | Science flight | MA |
| 1- A-58 | 1963 Jul | 3 | | | | - | 0 | | | | 0 | Walker | Science flight Science flight | M |
| 1-37-59 | 1963 Jul | 9 | 2012:12 | 008 | DDL | EAFB | 08:58.0 | 69.00 | 5843 | 5.07 | 83.6 | Walker/Archer/Bement | Research flight | 141 |
| 1- A-60 | 1963 Jul | 17 | 100= | | MID | PAPP | 0 | 21.0 | 5042 | 5.63 | 0 84.1 | Rushworth Rushworth/Fulton/Bock | Research flight, VO | |
| 1-38-61 | 1963 Jul | 18 | 1807:20 | 003 | MUD SRL | EAFB EAFB | 09:24.1 11:24.1 | 31.9 106.00 | 5843 5977 | 5.50 | 84.6 | Walker/Fulton/Bement | Science flight, VO | S |
| 3-21-32 | 1963 Jul | 19 | 1820:05 | 008 008 | SRL | DAFD | 0 | 100.00 | 3511 | 3.30 | 0 | Walker | Science flight | SA |
| 3- A-33 3- A-34 | 1963 Aug 1963 Aug | | | 008 | | | ŏ | | | | Ö | Walker | Science flight | SA |
| 3- A-35 | 1963 Aug | 15 | | 008 | | | ŏ | | | | 0 | Walker | Science flight | SA |
| 3-22-36 | 1963 Aug | | 1805:57 | 008 | SRL | EAFB | 11:08.6 | 107.96 | 6106 | 5.58 | 85.8 | Walker/Bement/Lewis | Science flight | S |
| 1- A-62 | 1963 Oct | 4 | | | | | 0 | | | | 0 | Engle | Pilot checkout | |
| 1-39-63 | 1963 Oct | 7 | 2022:56 | 008 | нн | EAFB | 07:37.0 | 23.7 | 4560 | 4.21 | 118.6 | Engle/Bement/Jones | Pilot checkout | |
| 3- A-37 | 1963 Oct | 14 | | | | | 0 | | | | 0 | Rushworth | Science flight | |
| 1-40-64 | 1963 Oct | 29 | 2042:34 | 008 | нн | EAFB | 08:43.0 | 22.7 | 4364 | 4.10 | 126.1 | Thompson/Fulton/Jones | Pilot checkout | |
| 3- A-38 | 1963 Oct | 25 | | | | • | 0 | | | | 0 | Rushworth | Science flight | |
| 3-23-39 | 1963 Nov | 7 | 1811:14 | 008 | | EAFB | 08:51.7 | 25.1 | 4707 | 4.40 | 108.2 | Rushworth/Bement/Jones | Science flight, sharp fin Pilot checkout | |
| 1-41-65 | 1963 Nov | 14 | 1919:21 | 008 | нн | EAFB | 07:46.8 | 27.6 | 5288 | 4.75 | 83.1 | Engle/Bement/Jones | Pilot checkout | |
| 3- A-40 | 1963 Nov | 19 | | | | P. PD | 0 | 27.2 | 5206 | 4.04 | 0 87.5 | Thompson Thompson/Fulton/Lewis | Pilot checkout | |
| 3-24-41 | 1963 Nov | 27 | 2017:40 | 008 | нн | EAFB | 07:04.3 | 27.3 | 5326 | 4.94 | 0 | Rushworth | Science flight | |
| 1- A-66 1-42-67 | 1963 Dec 1963 Dec | 3 | 1904:36 | 008 | DDL | EAFB | 09:34.0 | 30.7 | 6466 | 6.06 | 81.2 | Rushworth/Bement/Jones | Science flight | |
| 1-42-67 1- A-68 | 1963 Dec | 18 | 1904.50 | 000 | DDD | DAT D | 0 | 00.1 | 0100 | 0.00 | 0 | Engle | Research flight | |
| 1-43-69 | 1964 Jan | 8 | 2010:31 | 008 | MUD | EAFB | 08:50.7 | 42.6 | 5819 | 5.32 | 74.4 | Engle/Fulton/Lewis | Research flight | |
| 3-25-42 | 1964 Jan | 16 | 1803:30 | 008 | нн | EAFB | 08:17.0 | 21.6 | 5217 | 4.92 | 90.5 | Thompson/Fulton/Lewis | Science flight, sharp fin | |
| 1-44-70 | 1964 Jan | 28 | 2011:36 | 008 | DDL | EAFB | 10:25.5 | 32.7 | 5823 | 5.34 | 76.2 | Rushworth/Bement/Branch | Research flight | |
| 3-26-43 | 1964 Feb | 19 | 1757:24 | 003 | нн | EAFB | 07:03.1 | 23.9 | 5663 | 5.29 | 83.3 | Thompson/Fulton/Jones | Science flight, sharp fin | |
| 3-27-44 | 1964 Mar | 13 | 1746:27 | 003 | нн | EAFB | 07:29.0 | 23.1 | 5458 | 5.11 | 105.0 | McKay/Bement/Lewis | Science flight, sharp fin | |
| 1- A-71 | 1964 Mar | 17 | 100000 | | 221 | | 0 | 20.0 | **** | | 0 82.7 | Rushworth Rushworth/Bement/Lewis | Science flight Science flight | |
| 1-45-72 | 1964 Mar | | 1810:18 | 003 | DDL | EAFB | 09:52.4 0 | 30.9 | 6159 | 5.63 | 0 | McKay | Science flight | |
| 3- A-45 1-46-73 | 1964 Mar | 31 | 1802:27 | 003 | DDL | EAFB | 09:45.7 | 53.34 | 5581 | 5.01 | 79.6 | Engle/Bement/Fulton | Science flight | M |
| | 1964 Apr | 8 29 | 1802:27 | 003 | DDL | EAFB | 09:34.6 | 31.0 | 6288 | 5.72 | 81.3 | Rushworth/Fulton/Bock | Science flight | |
| 1-47-74 3- A-46 | 1964 Apr 1964 May | | 1000:27 | 003 | DDD | | 0 | 01.0 | 0.00 | 0 | 0 | McKay | Science flight | |
| 3-28-47 | 1964 May | | 1751:46 | 003 | нн | EAFB | 08:11.3 | 22.1 | 4963 | 4.66 | 108.6 | McKay/Bement/Jones | Science flight, sharp fin | |
| 1-48-75 | 1964 May | | 1826:28 | 003 | DDL | EAFB | 09:01.2 | 59.67 | 5623 | 5.02 | 78.0 | Engle/Fulton/Jones | Science flight | М |
| 3-29-48 | 1964 May | | 1739:34 | 003 | SIL | CUD | 07:56.5 | 19.5 | 3001 | 2.90 | 41.0 | Thompson/Fulton/Jones | Science flight, sharp fin | |
| 2- C-53 | 1964 Jun | 15 | | | | • | 0 | | | | 0 | Rushworth | X-15A-2 captive checkout | |
| 2- A-54 | 1964 Jun | 23 | | | | | 0 | | | | 0 | Rushworth | X-15A-2 test flight | |
| 2-32-55 | 1964 Jun | 25 | 1734:47 | 003 | нн | EAFB | 08:54.7 | 25.3 | 4995 | 4.59 | 77.0 | Rushworth/Fulton/Bement | X-15A-2 test flight | |
| 1- A-76 | 1964 Jun | 11 | | | | | 0 | - v 1211 | | | 0 | McKay | Science flight | MA MF |
| 1-49-77 | 1964 Jun | 30 | 1749:40 | 003 | DDL | EAFB | 11:27.0 | 30.4 | 5365 | 4.96 | 83.4 | McKay/Fulton/Lewis | Science flight | MA |
| 3- A-49 | 1964 Jul | 2 | | | 201 | CAPD | 0 10:03.6 | 51.93 | 5665 | 5.05 | 0 78.3 | Engle Engle/Bement/Lewis | Science flight Science flight | M |
| 3-30-50 | 1964 Jul | 8 | 2102:52 | 003 | DDL | EAFB | 0 | 51.93 | 5005 | 5.05 | 0 | Engle Engle | Science flight | |
| 3- A-51 | 1964 Jul | 28 | 1055.10 | 003 | нн | EAFB | 07:49.0 | 23.7 | 5831 | 5.38 | 93.6 | Engle/Bement/Fulton | Science flight | |
| 3-31-52 | 1964 Jul | 29 12 | 1955:19 1812:33 | 003 | | EAFB | 06:42.8 | 24.7 | 5689 | 5.24 | 82.1 | Thompson/Benient/Fulton | Science flight | |
| 3-32-53 2-33-56 | 1964 Aug 1964 Aug | | 1754:19 | 003 | | EAFB | 12:06.3 | 31.4 | 5777 | 5.23 | 80.3 | Rushworth/Fulton/Bement | X-15A-2 test flight | |
| 3-33-54 | 1964 Aug | | | 003 | нн | EAFB | 07:19.7 | 27.7 | 6216 | 5.65 | 94.4 | McKay/Fulton/Bement | Science flight | |
| 3-34-55 | 1964 Sep | 3 | 1754:54 | 003 | | EAFB | 06:20.0 | 23.9 | 5817 | 5.35 | 91.0 | Thompson/Bement/Jones | Science flight | |
| 3- A-56 | 1964 Sep | 23 | | - | | • | 0 | | | | 0 | Engle | Science flight | |
| 3-35-57 | 1964 Sep | 23 | 2116:00 | 003 | | EAFB | 09:34.3 | 29.5 | 6257 | 5.59 | 80.3 | Engle/Fulton/Lewis | Science flight | |
| 2-34-57 | 1964 Sep | 29 | | 008 | MUD | EAFB | 09:51.0 | 29.8 | 5700 | 5.20 | 79.7 | Rushworth/Fulton/Townsend | X-15A-2 test flight | |
| 1- A-78 | 1964 Oct | 2 | | | | • 1 | 0 | | | | 0 | McKay | Science flight | |
| 1-50-79 | 1964 Oct | | 2115:40 | 008 | нн | EAFB | 08:40.9 | 25.8 | 4905 | 4.56 | 72.9 | McKay/Fulton/Cotton | Science flight, TP | |
| 3- C-58 | 1964 Oct | | | | | | 0 | | | | 0 | Thompson | Landing gear mod test | |
| 3-36-59 | 1964 Oct | | | 008 | нн | EAFB | 07:10.8 | 25.7 | 5009 | 4.66 | 74.4 | Thompson/Bement/Lewis | Science flight | |
| 2- C-58 | 1964 Nov | | | | | • | 0 | | | | 0 | McKay McKay | Landing gear mod test Landing gear mod test | |
| 2- C-59 | 1964 Nov | | | 008 | нн | EAFB | 0 08:34.8 | 26.5 | 4971 | 4.66 | 75.3 | McKay/Bement/Bock | X-15A-2 test flight | |
| 2-35-60 | 1964 Nov | | 2009:32 | 008 | nn | EALD | 08:34.8 | 20.0 | 49/1 | 4.00 | 0 | Engle | Science flight | |
| 1- A-80 3-37-60 | 1964 Dec 1964 Dec | | 1836:17 | 008 | нн | EAFB | 06:25.7 | 28.1 | 5991 | 5.42 | 101.4 | Thompson/Fulton/Lewis | Science flight | |
| 3-31-60 | 1904 Dec | 9 | 1030:17 | 008 | 1111 | DALD | 00.40.7 | 20.1 | 3551 | 0.42 | .01.4 | - nompount and the mis | - 2101100 110011 | |

•

| | | | | B-52 | Launch | a 1. | anding Site ^a | Duration | Apogee | VMax | MMaz | Burn | Crew | Mission ^b | Notes |
|--------------------|----------------------|----------|--------------------|------|--------|------|--------------------------|--------------|---------|--------------|--------------|--------------|---|---------------------------------------|---------|
| Flight | Di | ate | | D-92 | Lauren | | | | | | | 20.6 | Engle/Fulton/Bock | Science flight, TP | |
| -51-81 | 1964 Dec | 10 | 1910:26 | 003 | DDL | F | EAFB | 09:44.7 | 34.5 | 5914 | 5.35 | 80.5 88.0 | Bushworth/Fulton/Bock | Science flight | |
| 3-38-61 | | 22 | 1844:52 | 003 | НН | E | EAFB | 07:51.0 | 24.7 | 5782 | 5.55 5.48 | 98.5 | Thompson/Bement/Fulton | Science flight | |
| 3-39-62 | | 13 | 1851:06 | 003 | НН | E | EAFB | 06:47.6 | 30.3 | 5975 | 3.48 | 0 | McKay | Science flight | MA |
| - A-82 | 1965 Jan | 26 | | | | | | 0 | 29.9 | 6252 | 5.71 | 81.4 | Engle/Fulton/Bement | Science flight, M25S | |
| 3-40-63 | 1965 Feb | 2 | 2050:14 | 008 | DDL | , 1 | EAFB | 09:58.4 0 | 29.9 | 0232 | 0 | 0 | Rushworth | Landing gear mod test | |
| 2- C-61 | 1965 Feb | 15 | | | | • | • 1 1 1 1 1 1 1 1 1 | 0 | | | | 0 | Rushworth | Landing gear mod test | |
| 2- C-62 | 1965 Feb | 15 | | | | . : | EAFB | 09:20.3 | 29.0 | 5695 | 5.27 | 79.8 | Rushworth/Fulton/Bement | X-15A-2 test flight Science flight | MA |
| 2-36-63 | 1965 Feb | 17 | 1844:59 | 008 | MUI | ו ט | EAFD | 0 | | | | 0 | McKay | Science flight | MA |
| 1- A-83 | 1965 Feb | 19 | | | | | • | ő | | | | 0 | McKay | Science flight | MF |
| 1- A-84 | 1965 Feb | 25 | | 008 | DDI | | EAFB | 09:24.7 | 46.8 | 5957 | 5.40 | 83.2 | McKay/Fulton/Bock | Science flight | |
| 1-52-85 | 1965 Feb | 26 | 1945:55 | | | | EAFB | 11:24.3 | 31.0 | 5761 | 5.17 | 79.6 | Rushworth/Fulton/Bock | Science flight | |
| 1-53-86 | 1965 Mar | 26 | 1901:59 | 008 | | | EAFB | 07:42.1 | 24.2 | 5885 | 5.48 | 91.4 | Engle/Fulton/Cotton | X-15A-2 test flight | |
| 3-41-64 | 1965 Apr | 23 28 | 1744:16 2026:20 | 008 | | | EAFB | 08:02.6 | 28.2 | 5246 | 4.80 | 78.9 | McKay/Bock/Townsend | X-15A-2 test flight | |
| 2-37-64 | 1965 Apr | | 2020:20 | • | | | | 0 | | | | 0 | McKay McKay/Fulton/Jones | X-15A-2 test flight | |
| 2- A-65 | 1965 May | 13 18 | 1756:38 | 008 | MU | D | EAFB | 09:42.0 | 31.1 | 5698 | 5.17 | 78.9 | | Science flight | MA |
| 2-38-66 | 1965 May 1965 May | 11 | 1730.30 | • | | | | 0 | | | | 0 81.1 | Thompson/Fulton/Jones | Science flight | М |
| 1- A-87 | 1965 May | 25 | 1812:07 | 008 | MU | D | EAFB | 09:02.0 | 54.80 | 5501 | 4.87 | | Engle/Fulton/Jones | Science flight | M |
| 1-54-88 | 1965 May | 28 | 1743:51 | | DD. | L | EAFB | 09:35.1 | 63.88 | 6041 | 5.17 | 82.5 | McKay | X-15A-2 test flight | |
| 3-42-65 | 1965 May | 4 | 1.40.01 | | | | • | 0 | | | | 0 | McKay | X-15A-2 test flight | |
| 2- A-67 | 1965 Jun | 8 | | | | | • | 0 | | | | 0 | McKay | X-15A-2 test flight | |
| 2- A-68 2- A-69 | 1965 Jun | 11 | | | | | • 1.2 | 0 | | 5478 | 4.69 | 77.8 | Engle/Fulton/Cretney | Science flight | М |
| 2- A-69 3-43-66 | 1965 Jun | 16 | 1826:33 | 00 | 3 DD | | EAFB | 09:45.0 | 74.58 | | 5.14 | 82.2 | Thompson/Fulton/Cotton | Science flight | |
| 1-55-89 | 1965 Jun | 17 | | 00 | 8 DD | | EAFB | 08:54.0 | 33.0 | 5698 6337 | 5.64 | 85.3 | McKay/Fulton/Bock | X-15A-2 test flight | S |
| 2-39-70 | 1965 Jun | 22 | | | 8 DD | | EAFB | 09:47.7 | 47.5 | 5523 | 4.94 | 81.0 | Engle/Fulton/Andonian | Science flight | - |
| 3-44-67 | 1965 Jun | 29 | | | 8 DD | L | EAFB | 10:32.4 | 85.52 | 3323 | 4.54 | 0 | McKay | X-15A-2 test flight | MA M |
| 2- A-71 | 1965 Jul | 2 | | | | | | 09:33.4 | 64.80 | 5888 | 5.19 | 82.9 | McKay/Fulton/Cotton | X-15A-2 test flight | M |
| 2-40-72 | 1965 Jul | 8 | 1716:5 | 5 00 | 3 DE |)L | EAFB | 09:55.4 | 04.00 | 0000 | | 0 | Rushworth | Science flight | |
| 3- A-68 | 1965 Jul | 13 | | | | | | 10:34.5 | 32.1 | 5964 | 5.40 | 79.5 | Rushworth/Jones/Andonian | Science flight | |
| 3-45-69 | 1965 Jul | 20 | | B 00 | 8 DI |)L | EAFB | 0 | 32.1 | | | 0 | Thompson | Science flight Science flight | |
| 1- A-90 | 1965 Jul | 23 | | | | | • | 0 | | | | 0 | Thompson | | |
| 1- A-91 | 1965 Jul | 27 | | | | 4.00 | | ő | | | | 0 | Thompson | Science flight X-15A-2 test flight | M |
| 1- A-92 | 1965 Jul | 28 | | | 8 DI | 1 | EAFB | 09:32.0 | 63.61 | 5796 | 5.16 | 82.4 | Rushworth/Bock/Andonian | Science flight | |
| 2-41-73 | 1965 Aug | | 3 2040:0 | | | | EAFB | 10:13.0 | 31.4 | 5687 | 5.15 | 83.0 | Thompson/Fulton/Andonian | Science flight | S |
| 1-56-93 | 1965 Aug | | | | | | EAFB | 09:52.1 | 82.60 | 5713 | 5.20 | 82.1 | Engle/Jones/Andonian | Science flight | MA |
| 3-46-70 | 1965 Aug | | | 1 00 | D D1 | ,,, | | 0 | | | | 0 | Thompson | Science flight | MA |
| 1- A-94 | 1965 Aug | | | | | | | 0 | | | | 0 | Thompson (Dalton (Cotton | Science flight | M |
| 1- A-95 | 1965 Aug | | | 6 0 | 03 DI | DL | EAFB | 08:51.7 | 65.25 | 5800 | | 84.5 | Thompson/Fulton/Cotton Rushworth/Cotton/Bock | Science flight | M |
| 1-57-96 | 1965 Aug | | | | | DL | EAFB | 10:27.5 | 73.03 | 5426 | | 78.6 | Mushworth/Cotton/Dock | X-15A-2 test flight | M |
| 3-47-71 | 1965 Aug | | 2 1740:0 | | | DL | EAFB | 09:12.8 | 73.09 | 5745 | | 84.0 | McKay/Bock/Jones Rushworth/Bock/Fulton | Science flight | |
| 2-42-74 1-58-97 | 1965 Sep 1965 Sep | | 9 1755: | | | DL | EAFB | 11:10.2 | 29.6 | 5687 | 5.25 | 82.1 80.9 | McKay/Bock/Jones | Science flight | M |
| 3-48-72 | 1965 Sep | | 4 1801: | | 08 D | DL | EAFB | 09:58.0 | | 5663 | | 82.0 | Rushworth/Bock/Jones | Science flight | |
| 1-59-98 | 1965 Sep | _ | 2 1858: | | 03 D | DL | EAFB | 10:54.3 | | 5713 | | | McKay/Bock/Andonian | Science flight | su |
| 3-49-73 | 1965 Sep | | 8 1807: | | 03 D | DL | EAFB | 11:56.0 | | 6006 4374 | | | | Pilot checkout | |
| 1-60-99 | 1965 Sep | | 30 1743: | | 03 H | н | EAFB | 08:22.6 | 23.3 | 43/4 | 4.00 | 0 | Engle | Science flight | MA |
| 1- A-100 | | | 8 . | | | | • | 0 | 00.7 | 5015 | 4.62 | | Knight/Jones/Fulton | Pilot checkout | su |
| 3-50-74 | 1965 Oct | | 2 1743: | | | H | EAFB | 07:06.1 | | | | | Engle/Bock/Jones | Science flight | M |
| 1-61-101 | | | 4 2046: | | | DL | EAFB | 09:27.7 | | | | | McKay/Fulton/Jones | Science flight | M |
| 3-51-75 | 1965 Oc | | 27 1849: | 10 0 | 03 D | DL | EAFB | 11:51.2 | 12.20 | 0.00 | , 0.00 | 0 | Dana | Pilot checkout | |
| 1- A-10 | 1965 No | v . | 2 | | | | EAFB | 05:01.6 | 21.5 | 2436 | 3 2.31 | 84.1 | Rushworth/Bock/Doryland | ET test flight | |
| 2-43-75 | 1965 No | | 3 1709: | | | UD | EAFB | 08:45.2 | | 4449 | | | Dana/Bock/Doryland | Pilot checkout ET test flight | |
| 1-62-10 | 3 1965 No | | 4 1711: | 31 (| 008 H | H | EALD | 0 | | | | 0 | Rushworth | | |
| 2- A-76 | 1966 Ap | r | 13 | | | | • | 0 | | | | 0 | Rushworth | ET test flight ET test flight | |
| 2- A-77 | 1966 Ap | | 20 | | | | | Ö | | | | 0 | Rushworth | Science flight | M |
| 2- A-78 | | | 5 | | 003 I | DL | DDL | 06:02. | | 233 | | | McKay/Fulton/Doryland | ET test flight | |
| 1-63-10 | | | 6 2130 18 1824 | | | AUD | EAFB | 08:56. | | 595 | 7 5.43 | | Rushworth/Fulton/Doryland | Pilot checkout | |
| 2-44-79 | | | | | ,,,,, | | | 0 | | | | 0 | Knight | Pilot checkout | |
| 1- A-10 | | | 2 | | | | | 0 | | | | 0 | Knight | Pilot checkout | |
| 1- A-10 | | | 10 20 | | | | • • • | 0 | | | | 0 | Dana | ET captive test | |
| 3- A-76 | | | 20 | | | | | 0 | | | | 0 | Rushworth Rushworth/Fulton/Doryland | ET test flight | |
| 2- C-80 | 1966 Ju 1966 Ju | | 1 1902 | :36 | 008 1 | MUD | MUD | 04:28. | | | | | | Pilot checkout, science | |
| 2-45-81 | | | 12 1932 | .00 | | MUD | EAFB | 08:36. | 0 39.6 | 589 | 1 5.3 | | | Pilot checkout | |
| 1-64-10 | | | 13 | | | | • | 0 | | | | . 0 | Dana Dana/Fulton/Doryland | Pilot checkout, science | |
| 3- A-77 3-52-78 | | | 18 1938 | :24 | 003 | нн | EAFB | 07:30 | 0 29.3 | 515 | 8 4.7 | 1 95.5 0 | Knight | Science flight | Ņ |
| 3-52-78 2- A-82 | | | 20 | | | | | 0 | | | | | | Science flight | N |
| 2-46-83 | | | 21 2002 | | | DDL | EAFB | 08:51 | .0 58.6 | | | | McKay/Fulton/Bowline | Science flight | Ņ |
| 1-65-10 | | | 28 180 | :12 | | DDL | EAFB | 09:43 | | | | | Knight/Doryland/Bowline | Science flight | N |
| 2-47-84 | | | 3 164 | :26 | | DDL | EAFB | 09:05 | | | | | | Pilot checkout, science | |
| 3-53-79 | | | 4 175 | | 008 | MUD | EAFB | 08:27 | .6 40.4 | 594 | 0.3 | 0 | McKay | Science flight | 1 |
| 1- A-1 | | ug | 9 | | | | • | 0 | | | | 0 | McKay | Science flight | |
| 1- A-1 | | | 10 | | | | | 0 | .2 76.5 | 50 57 | 77 5.2 | | McKay/Doryland/Bowline | Science flight | |
| 1-66-1 | | | 11 174 | | | DDL | EAFB | 09:22 | | | | | | Science flight | |
| 2-48-8 | | | 12 182 | 5:33 | | DDL | EAFB | 08:39 | | | | | 8 Dana/Fulton/Bowline | Science flight | |
| 3-54-8 | | | | 4:35 | | DDL | EAFB | 09:32 | | | | | | Science flight | 1 |
| 1-67-1 | | | | 9:11 | | DDL | EAFB | 10:16 | | | | | s Knight/Doryland/Cotton | Science flight | |
| 2-49-8 | | | | 1:37 | | MUD | EAFB | 08:49 | | | | | | Science flight | |
| 1-68-1 | | | | 9:16 | 800 | SRL | SRL | 06:24 | 1.5 22. | J 25 | U1 4.º | 0 | Dana | Science flight | |
| | | ep | 13 | | | | _ | 0 | | | | 5 | | | |

| | | | | | | | | Apogee | VMas | MMax | Burn | Crew | Mission ⁶ | Note |
|-----------------|----------|-----|----------|-------|---------|---------------|----------|--------|---|-----------|-------|--------------------------|--------------------------------------|------|
| light | D | ate | | B-52 | Launch | Landing Sites | Duration | VhoRee | Mas | ,,,,,,,,, | | | | м |
| | | | | | | | 08:57.5 | 77.48 | 5782 | 5.12 | 79.3 | Dana/Doryland/Cotton | Science flight, TP Pilot checkout | |
| 55-82 | 1966 Sep | 14 | 2001:29 | 003 | DDL | EAFB | 00:01:0 | 11.10 | • | | 0 | Adams | Pilot checkout | |
| A-114 | 1966 Sep | 28 | | | | • | | | | | 0 | Adams | Pilot checkout | |
| | 1966 Oct | 4 | | | | | 0 | 23.0 | 3181 | 3.00 | 89.9 | Adams/Doryland/Cotton | | |
| A-115 69-116 | 1966 Oct | 6 | 2016:59 | 003 | нн | CUD | 08:26.4 | 23.0 | 3101 | 0.00 | 0 | Knight | ET test flight | |
| | 1966 Oct | 7 | 20.0.00 | | | | 0 | | | | Ö | Knight | ET test flight | S |
| A-87 | 1966 Oct | 19 | | | | | 0 | 10000 | **** | 5.46 | 82.8 | Dana/Doryland/Reschke | Science flight, TP | 3 |
| A-88 | | 1 | 2124:12 | 003 | SRL | EAFB | 10:43.5 | 93.54 | 6089 | 3.40 | 0 | Adams | Pilot checkout | |
| -56-83 | 1966 Nov | | 2124.12 | 000 | | | 0 | | *** | | 136.4 | Knight/Fulton/Cotton | ET test flight | |
| A-84 | 1966 Nov | 18 | | 008 | MUD | EAFB | 08:26.8 | 30.1 | 6857 | 6.33 | 0 | Adams | Pilot checkout | |
| -50-89 | 1966 Nov | 18 | 2124:07 | 000 | MOD | | 0 | | | | | Adams/Fulton/Cotton | Pilot checkout, TP | |
| - A-85 | 1966 Nov | 23 | | 003 | нн | EAFB | 07:55.9 | 28.1 | 5021 | 4.65 | 97.9 | | Thermocouple checkout | |
| -57-86 | 1966 Nov | 29 | 1938:32 | 003 | nn | DALD | 0 | | | | 0 | Knight? | Science flight | |
| - C-90 | 1966 Dec | 22 | | | | • | Ö | | | | 0 | Adams | Science flight | |
| - A-117 | 1967 Mar | 15 | | | | • | Ö | | | | 0 | Adams | Science flight | |
| - A-118 | 1967 Mar | 21 | | | | | 09:27.9 | 40.5 | 6150 | 5.59 | 79.7 | Adams/Cotton/Reschke | Science flight | ħ |
| -70-119 | 1967 Mar | 22 | 1752:04 | 003 | MUD | EAFB | | 40.0 | •••• | | 0 | Adams | Science flight, TP | |
| | 1967 Apr | 20 | | | | • | 0 | | 1915 | 1.80 | 23.2 | Dana/Cotton/Bowline | | 1 |
| - A-120 | 1967 Apr | 26 | | 008 | SIL | SIL | 05:16.7 | 16.2 | 6007 | 5.44 | 82.0 | Adams/Cotton/Bowline | Science flight | |
| -58-87 | | 28 | | 003 | DDL | EAFB | 09:16.0 | 50.96 | 6007 | 3.44 | 0 | Knight | Ramjet test flight | |
| -71-121 | 1967 Apr | 5 | | ••• | | - | 0 | | | | 76.9 | Knight/Cotton/Reschke | Ramjet test flight, TP | |
| 2- A-91 | 1967 May | | | 008 | нн | EAFB | 08:31.5 | 29.7 | 5157 | 4.75 | | Dana | Science flight | |
| 2-51-92 | 1967 May | 8 | | 000 | | | 0 | | | | 0 | Dana/Reschke/Cotton | Science flight, TP | |
| 3- A-88 | 1967 May | 12 | | | SIL | EAFB | 06:55.6 | 21.6 | 5112 | 4.80 | 96.1 | | Science flight | |
| 3-59-89 | 1967 May | 17 | 1745:48 | 003 | SIL | EALD | 0 | | | | 0 | Adams | Science flight | |
| - A-122 | 1967 May | 25 | | | | | Ö | | | | 0 | Adams | Science flight | |
| I- A-123 | 1967 Jun | 1 | | | | | ő | | | | 0 | Adams | Science flight | |
| 1- A-124 | 1967 Jun | 14 | | | | | | 69.89 | 5803 | 5.14 | 81.4 | Adams/Cotton/Reschke | | |
| | 1967 Jun | 15 | | 003 | DDL | EAFB | 09:11.0 | | 5811 | 5.34 | 93.2 | Dana/Cotton/Sturmthal | Science flight | |
| 1-72-125 | | 22 | | | НН | EAFB | 07:06.5 | 25.0 | | 4.23 | 67.6 | Knight/Reschke/Sturmthal | Science flight | |
| 3-60-90 | 1967 Jun | | | | | MUD | 10:07.0 | 52.73 | 4618 | | 92.1 | Dana/Cotton/Fulton | Science flight, TP | |
| 1-73-126 | 1967 Jun | 25 | | | | EAFB | 07:36.5 | 25.6 | 5943 | 5.44 | | Knight | Systems checkout with ATPS | • |
| 3-61-91 | 1967 Jul | 20 | |) 000 | , ,,,, | D.1.1 = | 0 | | | | 0 | | Ramjet, ATPS, TP | |
| 2- C-93 | 1967 Aug | | | | | | 0 | | | | 0 | Knight | Ramjet, ATPS, TP | |
| 2- A-94 | 1967 Aug | 1 | 1 | | | • | 0 | | | | 0 | Knight | Ramiet, ATPS, TP | |
| 2- A-95 | 1967 Aug | 1 | | | | DARD | 07:40.0 | 27.7 | 5420 | 4.94 | 82.2 | Knight/Cotton/Reschke | Science flight, TP | |
| 2-52-96 | 1967 Aug | 2 | 1 1759:1 | 6 008 | | EAFB | 07:37.0 | | 5013 | | 71.3 | Adams/Bowline/Reschke | Science flight | |
| 3-62-92 | 1967 Au | | 5 2027:2 | 8 003 | 3 НН | EAFB | | •••• | | | 0 | Dana | ET, Ramjet, ATPS, TP | |
| | 1967 Sep | | | | | • | 0 | | 7274 | 6.70 | 140.7 | Knight/Cotton/Reschke | | |
| 3- A-93 | 1967 Oct | | 3 2131:5 | 0 00 | 8 MUD | | 08:17.0 | | | | 84.7 | Dana/Cotton/Reschke | Science flight, TP | |
| 2-53-97 | | | 4 1716:5 | | | EAFB | 10:46.0 | | | | 84.2 | Knight/Reschke/Miller | Science flight, TP | |
| 3-63-94 | 1967 Oct | | | | | EAFB | 10:06.3 | 85.49 | 6226 | 5.55 | 0 | Adams | Science flight | |
| 3-64-95 | 1967 Oc | | | 3 00 | 0 0.113 | | 0 | | | | | Adams/Cotton/Miller | Science flight, TP | |
| 3- A-96 | 1967 Oc | | | 7 00 | 8 DDL | [nr CUD] | 04:51.4 | 81.07 | 5820 | 5.20 | 82.3 | Dana Dana | Post 1-73-126 electrical test | |
| 3-65-97 | 1967 No | | 5 1830:0 | 00 | 6 555 | lin copl | 0 | | | | 0 | | Test flight | |
| 1- C-127 | | | 6 | | | | ō | | | | 0 | Dana | Test flight | |
| 1- A-128 | | | 7 | | | • | Ö | | | | 0 | Dana | Test flight | |
| 1- A-129 | | , ; | 27 | | | | 07:35.1 | 31.8 | 4630 | 4.36 | 65.6 | Dana/Cotton/Stroup | Science flight | |
| 1-74-130 | | | 1 1928:1 | 1 00 | 18 HH | EAFB | 07:33.1 | 01.0 | | | 0 | Dana | Science flight | |
| 1- A-131 | | | 28 | | | | • | | | | 0 | Dana | | |
| | | - | 4 | | | • | 0 | | 5848 | 5.27 | 78.8 | Dana/Cotton/Sturmthal | Science flight, TP | |
| 1- A-132 | | | 4 1802: | 7 00 | B DDI | EAFB | 09:22.8 | | | | 81.5 | Knight/Sturmthal/Reschke | Science flight | |
| 1-75-133 | | | | | | | 09:17.1 | 63.88 | 5705 | 5.05 | 0 | Dana | Science flight | |
| 1-76-134 | | | | | | | 0 | | | | | Dana/Cotton/Reschke | Science flight | |
| 1- A-135 | | | 23 | . ~ | 08 SRL | EAFB | 11:28.0 | 67.08 | 5738 | 5.15 | 83.4 | Knight | Science flight | |
| 1-77-136 | | | 12 1531: | 01 00 | 00 SKL | unio | 0 | | | | 0 | Knight | Science flight | |
| 1- A-13 | | l | 15 | | | , DAED | 09:42.3 | 67.5 | 5409 | 9 4.79 | | Knight/Sturmthal/Reschke | Science flight | |
| 1-78-13 | | | 16 2223: | | 03 RR\ | | 09:42.0 | | | | 82.9 | Dana/Sturmthal/Fulton | Science flight | |
| 1-79-13 | | | 21 1604: | | 03 RR | | | | | | | Knight/Sturmthal/Miller | | |
| | _ | | 13 1819: | | 03 SRI | | 10:55. | | | | | Dana/Sturmthal/Miller | Science flight | |
| 1-80-14 | | | 24 1702: | | 03 SRI | EAFB | 11:28.3 | 3 77.7 | 2 398 | 0.00 | 0 | Knight | Science flight | |
| 1-81-14 | | | 12 | | | _ | 0 | | | | • | | | |

Launch and landing sites (see also Table 1 of the preceding article): CUD Cuddeback Lake; DDL Delamar Dry Lake; EAFB Edwards Air Force Base; HH Hidden Hills; MUD Mud Lake; PLM Palmdale; ROS Rosamund Dry Lake; RRV Railroad Valley; SIL Silver Lake; SRL Smith Ranch Lake.

NAA: North American Avistion (X-15 manufacturer); LR-11: early X-15 rocket engine; LR-99: Operational X-15 rocket engine; MH-96: Experimental X-15 guidance system; ATPS: Ablative thermal protection system; TP: Wing tip pod; ET: External tanks; VO: Ventral off.

S: Spaceflight; M: Mesospheric flight; F: Failed to reach intended altitude; A: Flight aborted before launch; U: Unintentionally high altitude flight; G: Planned glide flight.

ANAC ENGLE DANK TO ST. WHISH and ILITARIAN OUT ANG TADAKS: SN SC 6670: SN UV -ZHXPLOR Y CROSSFELD WALKER, WHITE PETERSEN MAKAY RUSHWORTH, ARMSTRONGENGLE, DANA

Original X-15 Drawings For Sale

Writer/artist Barry E. DiGregorio has created an original pen and ink drawing commemorating the X-15 program. Shown at left, the drawing includes an information border that lists all X-15 pilots, the 3 serial numbers of the 3 X-15's, the maximum altitude the X-15 achieved, maximum speed and the B-52 launch aircraft. In the upper right hand portion is shown the logo that the B-52A carried as nose art. It shows the B-52 throwing the X-15. On the lower right hand portion is the logo and nose art of the B-52B launch vehicle depicting an American Eagle launching an X-15 with the words "The High and Mighty One!" Finally, on the vertical right hand border are included the words "Ad Inexplorata," which means towards the unknown - the motto of all research pilots. Limited edition (250 copies) 9" x 12" prints of this original drawing are available for \$15 each plus \$2.50 shipping & handling. All prints will be hand signed and numbered by the artist. Send all orders to: Barry E. DiGregorio, 16 North Hartland Street, Middleport, NY 14105.